

RC Series

Heating Plates

Single-position and two-position heating plates with aluminum top



Practical and Easy to use

Heating plates with aluminum top and temperature regulation. Designed for the longest lifespan and to guarantee excellent resistance to chemicals. It accepts different combinations of AluBlocks™ that can maximize temperature control and save handling time.

- Maximum temperature 370 °C
- Accepts flasks of up to 15 L volume
- Control panel is IP 42 protected from liquid spills with run-off groove (RC only)



INSTRUMENT - CODE

RC	230 V / 50-60 Hz	F20700431
RC	115 V / 50-60 Hz	F20710431
RC2	230 V / 50-60 Hz	F20700430
RC2	115 V / 50-60 Hz	F20710430

TECHNICAL DATA

	RC	RC2
HOUSING MATERIAL	Epoxy painted aluminum structure	Epoxy painted aluminum structure
PLATE MATERIAL	Aluminum alloy coated with a special protection	Aluminum alloy coated with a special protection
PLATE DIMENSION	135 mm	135 mm
MODELS	Single-position	2-position
TEMPERATURE RANGE	Room temp. - 370 °C	Room temp. - 370 °C
POWER INPUT	600 W	1200 W
PERMISSIBLE AMBIENT TEMPERATURE	5 - 40 °C	W
WEIGHT	1.4 Kg (3.1 lb)	3.3 Kg (7.3 lb)
DIMENSIONS (WxHxD)	165x115x280 mm (6.5x4.5x11 in)	340x90x246 mm (13.4x3.5x9.7 in)



We reserve the right to make technical alterations
We do not assume liability for errors in printing, typing or transmission



JOINTLAB
European Laboratory Equipment

www.jointlab.com
www.frigolab.it

Via C. Treves 57, Trezzano sul Naviglio
Milano, Italy
+39.02.39310823
info@jointlab.com

VELP Official Partner